

**MOLETOX II®  
READY TO USE**

**POISON BAIT FOR USE  
AGAINST MOLES AND POCKET  
GOPHERS IN LAWNS AND  
OTHER NON-CROP AREAS.  
ALSO HELPS TO PROTECT  
BULBS AT FALL PLANTING.**

EPA Est. No. 4-NY-1

EPA Reg. No. 4-285

Buyers Guarantee Limited to Label Claims.

Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **USE RESTRICTIONS**

For use against moles and pocket gophers in lawns, golf courses, and other non-crop areas. Do not apply in gardens and areas where food or feed may be contaminated. Only apply the bait underground. Collect and bury all dead animals found above the ground.

## **SPECIFIC DIRECTIONS FOR MOLES**

The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

## **SURFACE RIDGES**

Prior to treatment determine which burrows are active according to one of the following two methods. Either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened runway has been raised up or if the roof has been repaired. Only treat active burrows.

Carefully punch a hole in the top of active tunnels, drop a teaspoonful amount of this product and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment.

## **CONICAL MOUNDS**

Remove center plug from the conical mounds with aid of a long-handled spoon and drop teaspoonful amount of this product into the underground tunnel. Close opening with rock or sod. Do not allow loose dirt to cover bait.

## BULB PROTECTION (FALL PLANTED)

Pack about one-quarter inch of soil against each bulb. Place several baits at sides of and around the bulb. Then cover.

In cases of repeated reinfestation (usually due to high population pressure in surrounding areas), treatment of desirable areas with a soil insecticide may be advisable.

## SPECIFIC DIRECTIONS FOR POCKET GOPHERS

Burrowing pocket gophers (*Thomomys* spp and *Geomys* spp) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a long-handled spoon carefully remove the plug. Insert a teaspoonful of this product as far down as possible. Reclose opening, being careful not to cover bait with soil.

### STORAGE AND DISPOSAL

**Storage:** Store and transport only in an upright position, in the original container, and in a dry place inaccessible to children and pets.

**Disposal:** *If empty* – Do not reuse empty container. Place in trash or offer for recycling if available. *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### FIRST AID

Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician immediately. Have the label with you when obtaining treatment advise.

#### If swallowed

Call a poison control center, doctor, or 1-800-858-7378 for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor.

### FIRST AID Cont.

<b>If on skin or clothing</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
<b>If inhaled</b>	Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
<b>If in eyes</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

#### ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Keep out of any body of water.

The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established sale practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Bonide Products, Inc.  
offers a complete line of  
gardening products.

Insect Control,  
Disease Control,  
Weed Control, Repellents,  
Specialty Fertilizers  
and Plant Nutrients.

Ask your local garden center  
about these additional Bonide®  
Mole and Gopher Control  
products:

**Bonide® Moletox® Baited-gel**

-The patented syringe  
injector system allows you to  
deliver pre-measured doses  
of bait directly into the tunnel.

One syringe covers up to  
10,000 sq. ft.

**Bonide® MOLEMAX®  
Mole & Vole Repellent**

-A granular product that provides an effective means of repelling burrowing animals from desirable turf and ornamental areas. Can also be used when planting bulbs to prevent rodent depredation.

**Bonide® Shotgun®  
Mole & Gopher Repellent**

-Packaged in a Ready-To-Spray Hose-End container, the 1 quart bottle covers 10,000 sq. ft. and lasts for up to 30 days.

## **Mole Trap**

-These easy to set traps may be used over and over, providing effective, economical mole control. Sturdy metal construction lasts for years.

## **Rodent Smoke Bombs**

-An effective, quick and reliable product for Moles, Gophers, Woodchucks, Rats, Skunks, and Ground Squirrels. The smoke will penetrate deeply into tunnels to do the job.

Some Bonide® products  
are not available or  
registered for use in  
some states. Ask your  
local garden center which  
products are available in  
your area.

Thank you for buying  
Bonide® Products.



**Section VII - Precautions for Safe Handling/Use**

---

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area preferably locked and out of reach of children and animals.

RESPIRATORY PROTECTION (Specify type): NIOSH approved. Under certain conditions self-contained breathing equipment may be needed in confined spaces.

VENTILATION: LOCAL EXHAUST: Normally adequate SPECIAL: NIA

PROTECTIVE GLOVES: Rubber/vinyl EYE PROTECTION: Goggles/face shield

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Washable work clothing including cap.

WORK/HYGIENIC PRACTICES: Launder clothing after use. Wash before eating, drinking, smoking

**Section VIII - Environmental and Disposal Information**

---

SPILL OR LEAK PROCEDURES: Sweep up with minimum generation of dust.

WASTE DISPOSAL METHOD: Class B poison. Dispose according to local, state or federal environmental regulations.

ENVIRONMENTAL HAZARDS: Toxic to birds and wildlife.

**KEEP OUT OF REACH OF CHILDREN**

**ABBREVIATION KEY**

---

N/A: NOT AVAILABLE OR APPLICABLE

TLV: THRESHOLD LIMIT VALUE

STEL: SHORT TERM EXPOSURE LIMIT

N/E: NOT ESTABLISHED

TWA: TIME WEIGHTED AVG./8 HOUR WORKDAY

D.O.T.: DEPARTMENT OF TRANSPORTATION

**DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES**

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.